

INVESTIGATION OF WOUND HEALING ACTIVITY OF LINSEED OIL (LINUM USITATISSIMUM) IN ANTISEPTIC CREAM

Venkataramana Arbetu Padmanabha, Jayaganesh Sankar* and Jainendra Malakar

Dabur Research and Development, International Business Development, Dubai, P. O. Box. 6399; United Arab Emirates.

Article Received on
10 September 2017,

Revised on 01 October 2017,
Accepted on 22 October 2017

DOI: 10.20959/wjpr201714-10003

*Corresponding Author

Jayaganesh Sankar

Dabur Research and
Development, International
Business Development,
Dubai, P. O. Box. 6399;
United Arab Emirates.

ABSTRACT

Wounds are unavoidable in the day to life and it causes by physical, chemical and biological attack and its cause the cell death /cell damage. Wounds make the disorder the tissue integrity and loss of cellular level biological activity of living tissues. Antiseptics are used as a treatment to cleanse cuts, scratches, burns, grazes or other minor injuries where the skin is broken, or as a preventive measure before piercing the skin. Linseed oil and its derivative are containing the higher amount of essential fatty acid, *i.e.* alpha linolenic acid. The alpha linolenic acid is essential for the biological synthesis of omega-3 fatty acid and it help to heal the wound. It having the higher amount of secoisolariciresinol diglucoside and it help to behave as a broad

spectrum antimicrobial ingredients. Present study aims to develop the document of wound healing and microbial property of linseed oil containing antiseptic cream and the entire activity compared with the leading antiseptic benchmark samples. Results indicate that the antibacterial and antifungal activity of sample and benchmark sample found to be highly significant when compared to the control. Study results revealed that linseed oil accelerate the wound healing activity, wound healing activity of sample and standard found to be highly significant when compared to the control. In-house samples are having the slightly leading edge when compared to the benchmark samples. Incorporation of linseed oil in antiseptic cream is immense useful with respect to wound healing activity and microbial control.

KEYWORDS: Antiseptic cream; linseed oil, boric acid, antimicrobial; wound healing, alpha linolenic acid.

INTRODUCTION

Wounds are unavoidable in day to life and it cause by physical, chemical and biological attack and it causes by the cell death/cell damage. Wounds make the disorder the tissue integrity and loss of cellular level biological activity of living tissues.^[1,2] Various on research activity carried out to find out the accelerate the wound healing in biological science. Recent days many scientist exclusively studied the wound healing property with traditional approach i.e. using the plant extract, herbal powder, plant oil for the wound healing activity. Antiseptics are used as a treatment to cleanse cuts, scratches, burns, grazes or other minor injuries where the skin is broken, or as a preventive measure before piercing the skin (e.g. an injection). For this very reason, now a day's various forms of antiseptic products available in the market and deserves the various purpose of healing. Both antiseptic and disinfectant prevent the growth of disease-causing micro-organisms. The main difference between the two is that disinfectants are usually used an inanimate object (e.g. tables, floors, chairs) and antiseptics are more suitable for human skin. An antiseptic cream is useful to destroy or inhibit the growth and development of micro organisms in living tissues and also targets the broad spectrum.^[3,4] Many literatures available for aromatic oils cure the wound; however, the essential oils with respect to wound healing property are meager. Recent days many scientists worked that wound healing property of linseed oil. Linseed oil otherwise called as flaxseed oil and it's derived from the plant *Linum usitatissimum*. Oils are derived from the cold pressing techniques and it is a colourless to yellowish oil. Linseed oil also called as a drying oil, which is it can be polymerize and form a solid form with react with air. Linseed oil and its derivative are containing the higher amount of essential fatty acid, i.e. alpha linolenic acid.^[5-8] The alpha linolenic acid is essential for the biological synthesis of omega-3 fatty acid. Many type of research proved that omega fatty acids and linolenic acid help to healing the skin wounds, provides the skin nourishment and reduce the inflammation /itching sensation and soothing the wounded skin.^[5,9,10,11] Present articles deals about the wound healing property of Linseed oil in antiseptic cream base formula; articles deals the anti-microbial and anti-fungal activity of antiseptic cream. Antimicrobial and wound healing properties of developed formula compared with the market leading benchmark samples.

MATERIALS AND METHODS

An antiseptic cream prepared with below mentioned formula and complete ingredients are summarized in the below table 1.

Table 1: Formulation details of antiseptic cream.

Ingredients	Functions
Emulsifier	Emulsion
Linseed oil	Active
Olive oil	Active
Alovera oil	Active
Propylene glycol	Solvent / carrier
Boric acid	Active
Zinc oxide	Active
Water	Carrier
Perfume	Odor

Anti-microbial and anti-fungal screening

Antimicrobial and anti-fungal activity of study materials was tested in 'National College of Pharmacy', Shimoga, India. The cylinder plate assay of drug potency is based on the measurement of the diameter of zones of microbial growth inhibition surrounding the cylinder containing various dilutions of test compounds. The antimicrobial activity of standard drugs, topical cream formulations, and base used, were carried out by the cup plate method. The zone of inhibition was measured by anti biotic zone reader.^[12,13,14,15]

Wound healing activity

Animals are divided into two groups, one act as a control and remaining one act as a treatment. Hair at the back of the animal was clipped with scissors and the circular area of 300 – 500 sq.mm. The skin was excised to its full thickness with scalpel and scissor under light ether anesthesia. Next day the initial wound area was traced and later the respective formulations were applied. Wound contraction was measured by tracing the wound margin on tracing paper and the area assessed using a graph paper.^[15,16,17,18]

Statistical analysis

Treated group results were compared with the control group. The results were analyzed statistically using Student's t-test to identify the differences between the treated and control.

RESULTS AND DISCUSSION

Physicochemical parameters of antiseptic cream developed and benchmark sample analyzed and the analytical value summarized in table 2.

Table 2: Physicochemical properties of tested antiseptic creams.

S. No.	Parameters	Benchmark	Sample
1	Description	White to off white colored cream with characteristic odor	White to off white colored cream with characteristic odor
2	pH	5.4	5.5
3	Viscosity in (cps)	82600 cps	85100 cps
4	Density @ 25°C	0.952	0.962
6	Total Aerobic Bacterial count (CFU/gm)	<10	<10
7	Total yeast and mould (CFU/gm)	<10	<10

Microbiological screening test

The anti-microbial activity of developed antiseptic cream compared with the leading benchmark cream by cup plate method.^[15] Results of anti-microbial activity of the antiseptic cream formulation observed equivalent results against the benchmark samples and the results are summarized in table 3. The study reveals that the antibacterial and antifungal activity of sample and benchmark sample found to be highly significant when compared to the standard. Yogesh *et al.*^[19] exclusively studied about the antimicrobial property of linseed oil with gemifloxacin and authors concluded that linseed oil was a good antimicrobial agent and also the boost the antimicrobial activity with the combination of gemifloxacin. However, the similar kind of results observed in our study we have noticed the synergistic combination of linseed oil and boric acid. Boric acid is a white powder and derived from the reaction of boron with water. It works against the fungal and bacterial infections and act as a broad spectrum. Incorporation of linseed oil alone having the antimicrobial property, the synergistic effect will help to heal the wound in rapid manner and prevent the biological attack from the external source. Many reports stated that the linseed oil having the good source of secoisolariciresinol diglucoside (SDG) and it having the higher anti-bacterial and antimicrobial properties.^[20]

Table 3: Anti-microbial study of antiseptic cream formulation.

Microorganism	Concentration	Standard	Benchmark	Sample
Gram Positive Bacteria				
Bacillus Subtilis	200µg/disc	30±0.92	23± 0.23	25± 0.36
Bacillus cereus	200µg/disc	32±0.65	25± 0.56	25± 0.25
Gram Negative bacteria				
Shigella shiga	200µg/disc	29±0.23	26± 0.25	26± 0.41
Escherichia coli (E.Coli)	200µg/disc	34±0.32	25± 0.36	22.± 0.65
Fungi				
Aspergillus fumigattus	200µg/disc	32±0.22	24± 0.36	23± 0.26
Candida albicans	200µg/disc	32±0.62	22± 0.52	24± 0.45

Wound healing activity of antiseptic cream formulation

Effect of antiseptic cream on a percentage of wound area contraction/healing furnished in Table 4. Significant results ($p = 0.001$) noticed in 1st day itself when compared to the control, continuous wound healing noticed on 2nd day, 4th day, 8th day and 21st day intervals. Results clearly indicate that wound heal activity completely achieved on 8th day on benchmark and samples treated side, however, it will take around 21 – 24 days for control sites.

Table 4: Effect of antiseptic cream on percentage of wound area contraction/healing.

Treatment details	1 st day	2 nd day	4 th day	8 th day	21 st day
Control	29.09	41.74	49.30	59.49	93.24
Benchmark	27.85*	55.89*	67.88*	96.51*	--
Samples	30.25*	60.88*	70.18*	96.55*	--

*-statistically significant at $p=0.001$ level.

Acceleration of wound healing activity is also monitored by the tensile strength of the incision wound. Wound healing property molecules increase the deposition of collagen content and it contribute the strengthen the damaged/wound skin.^[5] Granuloma Tensile strength on post wounding day measured and furnished in Figure 1.




Figure 1: Effect of antiseptic cream on granuloma tensile strength on wound skin.

Study results indicated that the samples treated wounds were found to heal much faster as indicated by improved rates of epithelialization and wound contraction, also confirmed by histopathological examinations. Similar kind of trend was noticed in the tensile strength of drug-treated wounds. The study reveals that the wound healing activity of sample and benchmark samples to be highly significant ($p=0.001$) when compared to control. However, the in-house samples are having the slightly leading edge when compared to the benchmark samples. Study results revealed that linseed oil accelerate the wound healing activity, similar

kind of observations noticed by Farahpour *et al.*^[5] Cardoso *et al.*^[21] and Bardaa *et al.*^[22] Linseed oil has the higher amount of α -linolenic acid approximately containing around 25%. Many researchers identified that α -linolenic acid and linolenic acid are contributing the cell membrane for the structural integrity.^[5,6,8] As mentioned earlier linseed oil act as a dry oil, due to the polymerization behavior it forms a film layer, it will immense useful to cure the wound and prevent the wound from the external biological infections. Linseed oil having the higher amount of polyphenolic derivative and it will act as a good anti-oxidant. Sen *et al.*^[23] proved that anti oxidant potential help to recover the wound clearness and rapid recovery.

CONCLUSION

Linseed oil has the good antimicrobial activity and broad spectrum. The incorporation of linseed oil alone having the antimicrobial property, the synergistic effect along with boric acid immense useful to heal the wound and prevent the biological attack from the external. Results indicate that the antibacterial and antifungal activity of sample and benchmark sample found to be highly significant when compared to the standard. Study results revealed that linseed oil accelerate the wound healing activity, wound healing activity of sample and benchmark sample found to be highly significant when compared to the control. In-house samples are having the slightly leading edge when compared to the benchmark samples. Incorporation of linseed oil in antiseptic cream is immense useful with respect to the wound healing activity and microbial control and it helps the rapid recovery from the wound.

ACKNOWLEDGEMENT

The researchers thank Mr. Mohit Malhotra, CEO; Mr. Vivek Dhir – Head of Marketing and Mr. Jude Linhares – Head of operation for their constant encouragement and support for the study.

REFERENCES

1. Charde MS, Fulzele SV, Satturwar PM, Joshi SB, Kasture AV, Dorle AK. Study on wound healing activity of Mulathiadi ghrita. *J. Pharma. Res.*, 2005; 4(1): 8-12.
2. Gupta N and Jain UK. Investigation of wound healing activity of methanolic extract of stem bark of *mimusops elengi* Linn. *Afr. J. Tradit. Complement Altern Med*, 2011; 8(2): 98-103.
3. Mc Donell G and Russell AD. Antiseptics and disinfectants. Activity, action and ressitance. *Clinical Microbiology Reviews*, 1999; 12: 147-179.

4. Drosou A, Falabella A and Kirsner. Antiseptics on wounds: An area of controversy. *Wounds*, 2003; 15: 149-166.
5. Farahpour MR, Taghikhani H, Habibi M and Zandieh MA, Wound healing activity of flaxseed *Linum usitatissimum* L. in rats. *Afr. J. Pharm. Pharmacol.*, 2011; 5(21): 2386-2389.
6. McDaniel JC, Belury M, Ahijevych K and Blakely W. Omega-3 fatty acids effect on wound healing, *Wound Repair and Regeneration*, 2008; 16(3): 337–345.
7. Albina JE, Gladden P and Walsh WR. Detrimental effects of a ω -3 fatty acid-enriched diet on wound healing, *Journal of Parenteral and Enteral Nutrition*, 1993; 17(6): 519–521.
8. Scardino MS, Swaim SF, Sartin EA. The effects of omega-3 fatty acid diet enrichment on wound healing, *Veterinary Dermatology*, 1999; 10(4): 283-290.
9. De Spirt S, Stahl W, Tronnier H, Sies H, Bejot M, Maurette JM, Heinrich U. Intervention with flaxseed and borage oil supplements modulates skin condition in women. 2008. *Br. J. Nutr.*, 101(3): 440-5.
10. Flaxseed oil Natural Medicine Comprehensive Database Web site. Available at: <http://www.natural database.com/> Accessed January, 2003; 29.
11. Millam S, Obert B, Preťová A. Plant cell and biotechnology studies in *Linum usitatissimum* L. - a review. *Plant Cell Tissue and Organ Culture*, 2005; 82: 93-103.
12. Baker FG. And Breach MR. *Medical Microbiology Techniques*. Butterworth, London, 1980; 43: 422-424.
13. Boden I, Nilsson D., Naredi P and Lindholm-Sethson, B. Characterization of healthy skin using near infrared spectroscopy and skin impedance, *Med. Biol. Eng. Comput.*, 2008; 46: 985–995.
14. Manimaran S, Thenmozhi S, Nanjan MJ and Suresh B. Chemical composition and antimicrobial activity of cone volatile oil of *cupressus macrocarpa* Hartwig from Nilgiris, India. *Natural Prodcut Sciences*, 2007; 13(4): 279-282.
15. Manimaran, S, Nithya and Praveen TK. Development and screening of topical herbal cream formulations for antimicrobial and wound healing activity. *International Journal of Biological & Pharmaceutical Research*, 2014; 5(5): 383-388.
16. Nithya M, Suguna L and Rose C. The effect of nerve factor on the early responses during the process of wound healing. *Biochimica ET Biophysica Acta*, 2003; 1620: 25-31.
17. Manimaran S, Loganathan V, Akilandeswari S, Jaswanth, A, Sathya, S and Ruckmani K. Wound healing and antimicrobial activity of formulated cream of leaf volatile oil of *Atalintia monophylla* Correa. *Haddard Medicus*, 2002; 45: 59-62.

18. Sumitra M, Manikandan P and Suguna L. Efficacy of *Butea monosperma* on Dermal Wound healing in Rats. *International Journal of Biochemistry and Cell Biology*, 2005; 37: 566–573.
19. Yogesh Joshi, Ruchika Garg, Divya Juyal, 2014. Evaluation of synergistic antimicrobial activity of Gemifloxacin with *Linum usitatissimum* seed oil. *The Journal of Phytopharmacology* 2014; 3(6): 384-388
20. Bozan B, Temelli F. Chemical composition and oxidative stability of flax, safflower and poppy seed and seed oils. *Bioresour. Technol.*, 2008; 99(14): 6354-9.
21. Cardoso CR, Souza MA, Ferro EA, Favoreto S and Pena JD, Influence of topical administration of n-3 and n-6 essential and n-9 nonessential fatty acids on the healing of cutaneous wounds, *Wound Repair and Regeneration*, 2004; 12(2): 235–243.
22. Bardaa S, Moalla D, Ben Khedir S, Rebai T and Sahnoun Z. the evaluation of the healing properties of pumpkin and flaxseed oil on deep second –degree burns in rats. *Pharm Biol.*, 2016; 54(4): 581-587.
23. Sen CK, Khanna S, Gordillo G, Bagchi D, Bagchi M. Roy S. Oxygen, oxidants and antioxidants in wound healing: an emerging paradigm. *Ann. NY. Acad. Sci.*, 2002; 957: 239-244.